Message

From: Talley, David [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP

(FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=D6CB235B310B4291979785E75ECD4854-TALLEY, DAVID]

Sent: 10/19/2022 2:36:26 PM

To: Truchan, JoAnn [JoAnn.Truchan@AlleghenyCounty.US]
CC: Ajenifuja, Hafeez [Hafeez.Ajenifuja@AlleghenyCounty.US]

Subject: RE: Clairton

Understood – thanks JoAnn!

David Talley
Environmental Engineer
Air and Radiation Division
Permits Branch 3AD10
U.S. EPA Mid-Atlantic Region
215.814.2117
talley.david@epa.gov

From: Truchan, JoAnn < JoAnn. Truchan@AlleghenyCounty. US>

Sent: Wednesday, October 19, 2022 10:32 AM **To:** Talley, David <Talley.David@epa.gov>

Cc: Ajenifuja, Hafeez < Hafeez. Ajenifuja @ Allegheny County. US>

Subject: RE: Clairton

This is correct. Just to clarify, we are withdrawing the proposed permit from EPA 45-day review, not the draft permit that was submitted for public comment.

From: Talley, David < Talley. David@epa.gov > Sent: Tuesday, October 18, 2022 2:26 PM

To: Truchan, JoAnn < JoAnn. Truchan@Allegheny County. US>

Subject: Clairton

Warning! This email was sent from an external source. Please be sure you recognize the sender and use caution when clicking on links and/or opening attachments.

Hi JoAnn-

Just looking to memorialize our conversation from earlier:

Per our conversation, ACHD is withdrawing the proposed permit in order to make some additional changes (primarily to the RTC). A new proposed permit will be submitted once those changes have been made.

Regards,

-Dave

David Talley
Environmental Engineer
Air and Radiation Division
Permits Branch 3AD10
U.S. EPA Mid-Atlantic Region
215.814.2117
talley.david@epa.gov

Confidentiality Notice: This e-mail message, including any attachments, is for the sole use of the intended recipient(s) and may contain confidential and privileged information. Any unauthorized review, use, disclosure, forwarding, or distribution is prohibited. If you are not the intended recipient, please contact the sender by reply e-mail and destroy all copies of the original message.